Uckfield Victoria Pleasure Ground

AGP

Scale: 1:500

0 10 30 50m

20 40

CONSULTANTS
Surfacing Standards LTD
Office 2, Empingham House,
Ayston Road, Uppingham, LE15 9NY
01536 400 012

1. DO NOT SCALE FROM DRAWING UNLESS FOR PLANNING PURPOSES ONLY. ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS.
2. THIS DRAWING IS COPYRIGHT TO SURFACING STANDARDS LTD
3. ALL PERSONNEL SHOULD BE AWARE OF THE HEALTH AND SAFETY PLAN WHICH IS RETAINED IN THE SITE MANAGERS OFFICE.

50 Lux
25 Lux
10 Lux
5 Lux
2 Lux
1 Lux
0.5 Lux
0.2 Lux

N

2 Lux Environmental Zone 1
5 Lux Environmental Zone 2
10 Lux Environmental Zone 3
25 Lux Environmental Zone 4


Chart of example lux levels for reference

Lighting conditions	Lux level	Lighting conditions	Lux level
British summer sunshine	50,000	Typical side road lighting	5
Overcast sky	5,000	Minimum security lighting	2
Well-lit office	500	Twilight	1
Minimum for easy reading	300	Clear full moon	0.25 to <1
Passageway or outside working area	50	Typical moonlight/cloudy sky	0.1
Good main road lighting	5-20	Typical starlight	0.001
Sunset	10	Poor starlight	0.0001

Source: IPCCTV specialists use-IP Ltd

REV	DESCRIPTION	REV	CK	DATE
00	PLANNING ISSUE	LS		03.06.26

Surfacing Standards Limited
SPORTS PITCH CONSULTANTS



AUTHOR
LS

TITLE
Uckfield Victoria Pleasure Ground
AGP
Floodlighting Scheme

PROJECT	SCALE	SIZE
G-234471	1:500	A1

DRAWING No	REVISION
06	00